

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	73	workstation same (configu\$5 near3 server) same device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:50
S2	20	(workstation same (configu\$5 near3 server) same device) and (configu\$6 near2 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 12:41
S3	246	(device or peripheral or node) near5 (request\$4 or demand\$4) near5 (configur\$7 near2 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 12:50
S4	12	((device or peripheral or node) near5 (request\$4 or demand\$4) near5 (configur\$7 near2 (data or information))) and (server near4 (transmit\$4 or send\$4 or transfer\$4) near4 ((configur\$7 near2 (data or information))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 13:22
S5	4194	configur\$7 with remote with (node or device or peripheral or element)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 13:53
S6	82	(configur\$7 with remote with (node or device or peripheral or element)) and ((node or device or peripheral or element) near5 (request\$4 or command\$4 or demand\$4) near5 (configur\$7 near2 (data or information)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 13:51
S7	60942	remot\$4 with (control\$4) with (node or device or peripheral or element)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:24
S8	641	(remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:01
S9	289	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (workstation or host)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 13:57

S10	13	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (http near2 (get or post))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 13:58
S11	171	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (workstation)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 14:51
S12	16	((remot\$4 with (control\$4) with (node or device or peripheral or element)) and (server with (control near3 (command or data or information)))) and (heartbeat or (heart near beat))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:25
S13	3084	(workstation or host) and server and (sensor or actuator)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:24
S14	2282	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:23
S15	949	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (remot\$4 with (control\$4 or operation))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:25
S16	790	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (heartbeat or (heart near beat) or alive or live)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:25
S17	405	((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (remot\$4 with (control\$4 or operation)) and ((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or control\$4 or task or command) near2 (data or information)) and (heartbeat or (heart near beat) or alive or live)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:12

S18	30	(((((workstation or host) and server and (sensor or actuator))) and ((configu\$7 or control\$4 or task or command) near2 (data or information))) and (remot\$4 with (control\$4 or operation))) and (((workstation or host) and server and (sensor or actuator))) and ((configu\$7 or control\$4 or task or command) near2 (data or information))) and (heartbeat or (heart near beat)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:09
S19	132	(get near2 http) and (post near2 http)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:10
S20	55	((get near2 http) and (post near2 http)) and workstation and server and device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:10
S21	246	((sensor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:15
S22	50	((sensor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:43
S23	0	(workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (data or information) adj5 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 12:08
S24	6	(workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 12:58
S25	0	((((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) with workstation	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 12:58
S26	57	((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:04
S27	58239	(remot\$4 with configu\$7 with netwok\$3 (device or node)) same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:27

S28	96	((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and ((node or device) near4 (request or ask) near4 configu\$7 near4 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:07
S29	56	((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and ((node or device) near3 (request or ask) near3 configu\$7 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:19
S30	50	((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and ((node or device) near3 (Retriev\$4) near3 configu\$7 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:24
S31	91	(remot\$4 near4 control\$4 near4 (device or node or peripheral or sensor or actuator)) and (server with (queue or buffer or fifo or list) with (request or task or command or instruction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:54
S32	31	((remot\$4 near4 control\$4 near4 (device or node or peripheral or sensor or actuator)) and (server with (queue or buffer or fifo or list) with (request or task or command or instruction))) and ((Host or workstation or client) near4 (transfer\$5 or transmit\$5 or send\$4) near4 (request or task or command or instruction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:06
S33	5	((remot\$4 near4 control\$4 near4 (device or node or peripheral or sensor or actuator)) and (server with (queue or buffer or fifo or list) with (request or task or command or instruction))) and ((Host or workstation) near4 (transfer\$5 or transmit\$5 or send\$4) near4 (request or task or command or instruction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:06
S34	0	workstation same (configu\$5 near3 pend\$4) same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 13:52
S35	5	(configu\$5 near3 pend\$4) same server same device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 13:56

S36	0	server near5 (configu\$5 near4 pend\$4) near5 (message or indica\$5 or signal)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:00
S37	0	server near5 (configu\$5 near4 (pend\$4 or awaiting)) near5 (message or indica\$5 or signal)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:02
S38	23	server near5 (request\$5 near4 (pend\$4 or awaiting)) near5 (message or indica\$5 or signal)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:14
S39	29	server near5 (pend\$4 or awaiting) near4 (request or task) near4 (queue or fifo or buffer or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:32
S40	2	("6754885").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/02 15:15
S41	1	((("6754885").PN.) and ((pend\$4 or awaiting) near4 (request or task)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:15
S42	0	server near5 (messag\$4 or indica\$5 or signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (node)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:34
S43	0	server near5 (messag\$4 or indica\$5 or signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:39
S44	26	server near5 (pend\$4 or await\$3) near4 (request or task) near4 (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:36
S45	8	server with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3) with (request or task) with (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:48
S46	6	server near5 (messag\$4 or indica\$5 or signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:45
S47	145	(server or host) with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3 or new or next) with (request or task) with (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:50

S48	26	(server or host) with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3) with (request or task) with (node or device or peripheral)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:08
S49	1429	(request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:41
S50	688	((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:31
S51	469	((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))) and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:31
S52	89	((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))) and network) and workstation	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:32
S53	73	((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or task or configu\$5) near3 (fifo or queue or buffer or list))) and network) and workstation) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:32
S54	862	(pend\$4) near3 (request or task or configu\$5) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:42
S55	853	(pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:43
S56	66	(send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:43
S57	13	((send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)) and server and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:48

S58	17	((send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:48
S59	161	(http near3 get) and (http near3 post)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:59
S60	52	((http near3 get) and (http near3 post)) and (pending)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:59
S63	126	server and (remote near3 configur\$6) and (request near3 configur\$6 near3 (data or info\$7 or set\$4 or element))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:52
S64	115	server and (remote near3 configur\$6) and (request near3 configur\$6 near3 (data or info\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:53
S65	71	S64 and (configur\$6 near3 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 17:00
S66	26	(US-5859972-\$ or US-6012100-\$ or US-6112246-\$ or US-6286038-\$ or US-6308205-\$ or US-6353848-\$ or US-6430607-\$ or US-6449715-\$ or US-6496858-\$ or US-6502062-\$ or US-6513112-\$ or US-6591367-\$ or US-6598037-\$ or US-6611275-\$ or US-6636891-\$ or US-6665714-\$ or US-6698021-\$ or US-6704737-\$ or US-6708206-\$ or US-6708239-\$ or US-6715082-\$ or US-6735630-\$ or US-6751729-\$ or US-6754621-\$ or US-6754885-\$ or US-6760782-\$).did.	USPAT	OR	ON	2005/08/02 10:39
S67	10	S66 and (URL or weblink (universal near2 resource near3 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:10
S68	240	(\$3configur\$7 near5 request\$4) with (URL or weblink (universal near2 resource near3 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:13

S69	183	S68 and (\$3configur\$7 near5 (data or packet or info or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:19
S70	46	S68 with (\$3configur\$7 near5 (data or packet or info or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:19